

FABRIC SPECIFICATION

ZEPHYR COLLECTION (Dec 22)

PROPERTY	BS	SEDUCE	GLAMOUR	DIVINE	MYSTIC	TEMPT	JALOUSIE	SHANTUNG	CARINA
Composition	N/A	100% Trevira CS	100% FR Polyester	100% Trevira CS	100% Trevira CS	100% Trevira CS	100% FR Polyester	100% Polyester FR	100% Polyester FR
Width (cm)	N/A	315	296	330	310	310	150	300	300
FR Weight (g/m ²)	N/A	25	21	44	48	92	50	60	44
Tensile Strength (N)	BS EN ISO 13834-1	160	170	160	160	160	160	160	160
Tear Strength (N)	BS EN ISO 13837-3	6	6	11	14	20	6	6	6
Martindale Pilling (at 2000 cycles)	BS EN ISO 12945	4	4	4	4	4	4	3-4	4
Colour Fastness to Washing (grade)	BS EN ISO 105 C06	4	4	4	4	4	4	6	4
Colour Fastness to Rubbing (grade)	BS EN ISO 105 X12	Wet 4 Dry 4	Wet 4 Dry 4	Wet 4 Dry	Wet 4 Dry 4	Wet 4 Dry 4	Wet 4 Dry 4	Wet 4 Dry 4	Wet 4 Dry 4
Colour Fastness to Light (grade)	BS EN ISO 105 B02	5	5	5	5	5	5	6	5
Flammability	BS 5867 Pt2 Ty B	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass
	NFP 92 503 M1	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass
	Italian Class Uno	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass
	DIN 4102 B1	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass
	IMO FTPC Part 7 Curtains	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass
End Uses	Sheer/Voile Curtains								
Cleaning/care Instructions	     Wash at 30°C Gentle Cycle Do not bleach Low Heat Iron Dry Clean (sensitive conditions) Do not tumble dry Before laundering sheer curtains, always remove all curtain hooks and un-draw the heading tapes. Avoid any contact with bleach based cleaning agents as this can cause significant damage to the fabric.								

Installation Instructions	It is the contractor's responsibility to ensure all cleaning instructions are passed onto the end user.
---------------------------	---